



Report on the status of waterbird populations in the AEWA area for the period 2013-2018

Through Resolution 7.1, the 7th Session of the Meeting of the Parties (MOP7) to AEWA adopted, amongst other things, the format for national reports on the implementation of AEWA for the period 2018-2020 as presented in document AEWA/MOP 7.17.

Document AEWA/MOP 7.17 envisages a module on the status of native and non-native waterbird species, but it was agreed that this module will be developed by the Technical Committee and approved by the Standing Committee in early 2019. The format for reporting on Article 12 of the European Union's Birds Directive (EU BD) for the period 2013-2018 was agreed as the basis for this module, while focusing only on some fields of the EU reporting template, notably those in Annex B, chapters 1-5.

The alignment of the AEWA population status reporting module with the EU BD Article 12 template for 2013-2018 will, on the one hand, allow reporting of all necessary information by the AEWA Contracting Parties needed for the assessment of the status of AEWA populations, and, on the other hand, will require the EU members states that are Contracting Parties to AEWA to report only once their national data for the native species listed in Annex 2 of AEWA, providing that access to the EU BD Article 12 national reports will be granted to the UNEP/AEWA Secretariat. If any EU Member State with overseas territories within the AEWA area has not reported on the AEWA-listed species in those territories, data should be submitted through the AEWA reporting process.

Unlike the EU BD Article 12 template, the AEWA population status reporting module should request similar type of information for non-native waterbird species as for native species. The EU members states will therefore, like all other AEWA Contracting Parties, need to fill out the AEWA population status reporting module with respect to the status of the non-native waterbird species occurring in their territories, including overseas territories within the AEWA area.

In order to be able to use the national data reported by the AEWA Contracting Parties for the 8th edition of the AEWA Conservation Status Report, this reporting module has been set up separately in the CMS Family Online Reporting System and the deadline for submission of the national population status reports has been set by MOP7 at 30 June 2020.

1. GENERAL INFORMATION

Name of reporting Contracting Party

>>> Iceland

Date of entry into force of AEWA in the Contracting Party

>>> 1 June 2013

2. INSTITUTIONAL INFORMATION

Please indicate the Designated National Respondent (DNR) and the other contributors to the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018.

Name and title of the DNR

>>> Sigurdur Thrainsson, Head of Division

Affiliation (institution, department, organisation)

>>> Ministry for the Environment and Natural Resources

Mailing address - Street and number

>>> Skuggasund 1

Postal code

>>> IS-101

City

>>> Reykjavik

Country

>>> Iceland

Telephone

>>> +354 5458600

E-mail

>>> sigurdur.thrainsson@uar.is

Website

>>> <https://www.government.is/ministries/ministry-for-the-environment-and-natural-resources/>

Other contributors to this report

Please list the names and affiliations (institution, organisation) of the other contributors to this report

Please list the names and affiliations (institution, organisation) of the other contributors to this report

>>> Trausti Baldursson and Gudmundur A. Gudmundsson, Icelandic Institute of Natural History

3. AEWA-LISTED (NATIVE) WATERBIRD SPECIES

Please report on each species in the drop-down menu. This list contains all AEWA waterbird species that occur in your country. Should you identify any omissions, please contact the UNEP/AEWA Secretariat.

Iceland

Whooper Swan / *Cygnus cygnus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	6200

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2520

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Based mainly on extrapolation from a limited amount of data**Brent Goose / Branta bernicla****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]**Latest passage numbers estimate****Passage numbers**

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	34130

Type of estimate Best estimate**Method used for passage numbers estimate** Complete survey or a statistically robust estimate**Previous passage numbers estimate****Please indicate whether a previous estimate of passage numbers is available** Previous passage numbers estimate is available**Passage numbers**

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	35042

Type of estimate Best estimate

Method used for passage numbers estimate

Complete survey or a statistically robust estimate

Changes in the passage numbers estimates

Has there been a change between the previous and the latest passage numbers estimate?

No

Latest staging numbers estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Barnacle Goose / Branta leucopsis

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2051

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	72,162-9000= 63,162

Type of estimate

Minimum

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Latest staging numbers estimate

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Greylag Goose / Anser anser

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
---------	--

Maximum	
Best single value	26600

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on expert opinion with very limited data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	11000

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Pink-footed Goose / Anser brachyrhynchus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> ???

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	110,000

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Skarphédinsson, K.H., B. Katrínardóttir, G.A. Gudmundsson & S.N.V. Auhage 2016. Mikilvæg fuglasvæði á Íslandi [Important Bird Areas in Iceland]. Fjölrit Náttúrufræðistofnunar Nr. 55, 295 pp. In Icelandic with English summaries and table and figure texts. http://utgafa.ni.is/fjolrit/Fjolrit_55.pdf

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Long-term trend

Short-term breeding numbers trend estimate

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Long-term breeding numbers trend estimate

Long-term trend direction

Increasing

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

Yes

Long-tailed Duck / *Clangula hyemalis*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Males

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	2000
Maximum	3000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	110,000

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

King Eider / Somateria spectabilis

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	

Best single value	80
-------------------	----

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Common Scoter / *Melanitta nigra*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Males

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	800

Type of estimate

Minimum

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Common Goldeneye / *Bucephala clangula*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	50

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Goosander / Mergus merganser

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	100
Maximum	300
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Red-breasted Merganser / Mergus serrator

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	2000
Maximum	4000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	10,000

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Common Shelduck / *Tadorna tadorna*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	400

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	110

Type of estimate

Multi-year mean

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Tufted Duck / *Aythya fuligula*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	8000
Maximum	12,000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas

where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	300

Type of estimate

Multi-year mean

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Greater Scaup / Aythya marila

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	3000
Maximum	5000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on expert opinion with very limited data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	110

Type of estimate

Multi-year mean

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Northern Shoveler / *Spatula clypeata*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	<100

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on expert opinion with very limited data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Gadwall / *Mareca strepera*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	400
Maximum	500
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on expert opinion with very limited data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Eurasian Wigeon / *Mareca penelope*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	3000
Maximum	5000
Best single value	

Type of estimate Minimum**Method used for breeding numbers estimate** Based mainly on extrapolation from a limited amount of data**Previous breeding numbers estimate****Please indicate whether a previous estimate of the breeding numbers is available** No previous breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate**

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2200

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Based mainly on expert opinion with very limited data**Mallard / Anas platyrhynchos****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** Breeding numbers estimate is available**Latest breeding numbers estimate**

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	10,000
Maximum	15,000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	42,000

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Northern Pintail / *Anas acuta*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	< 500

Type of estimate Best estimate**Method used for breeding numbers estimate** Based mainly on expert opinion with very limited data**Previous breeding numbers estimate****Please indicate whether a previous estimate of the breeding numbers is available** No previous breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available No non-breeding/wintering numbers estimate is available**Common Teal / *Anas crecca*****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** Breeding numbers estimate is available**Latest breeding numbers estimate****Population unit** Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	3000
Maximum	5000
Best single value	

Type of estimate Minimum**Method used for breeding numbers estimate**

Based mainly on expert opinion with very limited data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Horned Grebe / Podiceps auritus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	700

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Red-throated Loon / *Gavia stellata*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1500

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2500

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Based mainly on expert opinion with very limited data**Common Loon / Gavia immer****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** Breeding numbers estimate is available**Latest breeding numbers estimate****Population unit** Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	500

Type of estimate Best estimate**Method used for breeding numbers estimate** Complete survey or a statistically robust estimate**Previous breeding numbers estimate****Please indicate whether a previous estimate of the breeding numbers is available** No previous breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate**

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2000

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Based mainly on extrapolation from a limited amount of data**Previous non-breeding/wintering numbers estimate****Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** No previous non-breeding/wintering numbers estimate is available**Northern Gannet / Morus bassanus****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** Breeding numbers estimate is available**Latest breeding numbers estimate****Population unit** Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	40,831

Type of estimate Best estimate**Method used for breeding numbers estimate** Complete survey or a statistically robust estimate**Previous breeding numbers estimate****Please indicate whether a previous estimate of the breeding numbers is available** Previous breeding numbers estimate is available**Population unit** Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	37,216

Type of estimate Best estimate**Method used for breeding numbers estimate**

Complete survey or a statistically robust estimate

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Great Cormorant / *Phalacrocorax carbo*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5247

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value.

In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5021

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Eurasian Oystercatcher / Haematopus ostralegus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	13,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	11,141

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Eurasian Golden Plover / *Pluvialis apricaria*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	396,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas

where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Ringed Plover / Charadrius hiaticula

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	23,300

Type of estimate

Multi-year mean

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Whimbrel / Numenius phaeopus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	256,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Black-tailed Godwit / *Limosa limosa*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	67,600

Type of estimate

Best estimate

Method used for breeding numbers estimate Complete survey or a statistically robust estimate**Previous breeding numbers estimate****Please indicate whether a previous estimate of the breeding numbers is available** No previous breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available The species does not occur in the country during the non-breeding/winter season**Ruddy Turnstone / *Arenaria interpres*****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** Staging numbers estimate is available [Staging numbers refer to the number of individuals that stopover in the country during migration]**Latest staging numbers estimate****Staging numbers**

[Individuals. Raw numbers i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	40,000

Type of estimate Best estimate**Method used for staging numbers estimate** Complete survey or a statistically robust estimate**Previous staging numbers estimate****Please indicate whether a previous estimate of staging numbers is available** No previous staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Red Knot / *Calidris canutus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	270,000

Type of estimate

Best estimate

Method used for passage numbers estimate

Complete survey or a statistically robust estimate

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

Staging numbers estimate is available [Staging numbers refer to the number of individuals that stopover in the country during migration]

Latest staging numbers estimate

Staging numbers

[Individuals. Raw numbers i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	

Maximum	
Best single value	270,000

Type of estimate

Best estimate

Method used for staging numbers estimate

Complete survey or a statistically robust estimate

Previous staging numbers estimate

Please indicate whether a previous estimate of staging numbers is available

No previous staging numbers estimate is available

Sanderling / Calidris alba

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	200,000

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Dunlin / *Calidris alpina*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	275,300

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Purple Sandpiper / *Calidris maritima*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	15,000

Type of estimate Best estimate**Method used for breeding numbers estimate** Complete survey or a statistically robust estimate**Previous breeding numbers estimate****Please indicate whether a previous estimate of the breeding numbers is available** No previous breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate**

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	25,000

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Based mainly on expert opinion with very limited data**Common Snipe / Gallinago gallinago****Population Size**

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	305,700

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Red-necked Phalarope / Phalaropus lobatus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	

Best single value	10,400
-------------------	--------

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Red Phalarope / Phalaropus fulicaria

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	90

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Redshank / *Tringa totanus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	75,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	700

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Sabine's Gull / Xema sabini

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Black-legged Kittiwake / Rissa tridactyla

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
---------	--

Maximum	
Best single value	580,904

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	650,966

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Black-headed Gull / *Larus ridibundus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Numbers [Raw, i.e. not rounded]. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	25,000
Maximum	30,000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Mew Gull / *Larus canus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded]. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	800

Maximum	1000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Lesser Black-backed Gull / Larus fuscus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	50,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

European Herring Gull / *Larus argentatus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Lekking males

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	5000
Maximum	10,000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Iceland Gull / *Larus glaucooides*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Glaucous Gull / Larus hyperboreus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2400

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Great Black-backed Gull / Larus marinus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	6100
Maximum	8000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Arctic Tern / *Sterna paradisaea*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	150,000

Maximum	250,000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on expert opinion with very limited data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Long-tailed Jaeger / *Stercorarius longicaudus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	0
Maximum	2
Best single value	

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Great Skua / Catharacta skua

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5400

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Atlantic Puffin / *Fratercula arctica*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,000,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Black Guillemot / *Cepphus grylle*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the

data fields for minimum and maximum and indicate them as such.]

Minimum	10,000
Maximum	15,000
Best single value	

Type of estimate

Minimum

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Razorbill / Alca torda

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	313,500

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	378,390

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Little Auk / Alle alle

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas

where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	196

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Insufficient or no data available

Thick-billed Murre / *Uria lomvia*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	326,800

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	579,450

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Common Murre / *Uria aalge*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded]. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	

Best single value	698,100
-------------------	---------

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	992,340

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Common Eider / Somateria mollissima

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Males

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	300,000

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	850,000

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Greater White-fronted Goose / Anser albifrons

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	21466

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Latest staging numbers estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Western Water Rail / Rallus aquaticus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Bar-tailed Godwit / Limosa lapponica

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	0
Maximum	5
Best single value	2

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate Complete survey or a statistically robust estimate**Previous non-breeding/wintering numbers estimate****Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** No previous non-breeding/wintering numbers estimate is available**Eurasian Curlew / Numenius arquata****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** No breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate**

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	20

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Previous non-breeding/wintering numbers estimate****Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** No previous non-breeding/wintering numbers estimate is available**Grey Heron / Ardea cinerea****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?**

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	25

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

4. NON-NATIVE WATERBIRD SPECIES

Please select from the drop-down list below only the non-native species that occur in your country. This list contains the non-native waterbird species that have been identified to occur in the Agreement area. Should any additional species occur in your country, please contact the UNEP/AEWA Secretariat. Please note that some species are listed under AEWA and are native in some parts of the Agreement area, but are non-native in others.

Barrow's Goldeneye / *Bucephala islandica*

Confirmation of species occurrence

Please confirm the occurrence of the species in the country

The species occurs in the country

Population size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Males

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	800

Type of estimate

Minimum

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers size is available

No previous breeding numbers estimate is available

5. CONFIRMATION

Confirmation of information verification and approval for submission.

***Please confirm:**

In addition a scanned copy of an official letter from the relevant state institution, approving the report for submission, can be attached.

I declare that the information provided in the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018 has been verified and the report has been approved for submission by the appropriate state institution in the country.

***Date of submission**

>>> Sigurður Práinsson, 26.07.2020