



Report on the status of waterbird populations in the AEWA area for the period 2013-2018

Through Resolution 7.1, the 7th Session of the Meeting of the Parties (MOP7) to AEWA adopted, amongst other things, the format for national reports on the implementation of AEWA for the period 2018-2020 as presented in document AEWA/MOP 7.17.

Document AEWA/MOP 7.17 envisages a module on the status of native and non-native waterbird species, but it was agreed that this module will be developed by the Technical Committee and approved by the Standing Committee in early 2019. The format for reporting on Article 12 of the European Union's Birds Directive (EU BD) for the period 2013-2018 was agreed as the basis for this module, while focusing only on some fields of the EU reporting template, notably those in Annex B, chapters 1-5.

The alignment of the AEWA population status reporting module with the EU BD Article 12 template for 2013-2018 will, on the one hand, allow reporting of all necessary information by the AEWA Contracting Parties needed for the assessment of the status of AEWA populations, and, on the other hand, will require the EU members states that are Contracting Parties to AEWA to report only once their national data for the native species listed in Annex 2 of AEWA, providing that access to the EU BD Article 12 national reports will be granted to the UNEP/AEWA Secretariat. If any EU Member State with overseas territories within the AEWA area has not reported on the AEWA-listed species in those territories, data should be submitted through the AEWA reporting process.

Unlike the EU BD Article 12 template, the AEWA population status reporting module should request similar type of information for non-native waterbird species as for native species. The EU members states will therefore, like all other AEWA Contracting Parties, need to fill out the AEWA population status reporting module with respect to the status of the non-native waterbird species occurring in their territories, including overseas territories within the AEWA area.

In order to be able to use the national data reported by the AEWA Contracting Parties for the 8th edition of the AEWA Conservation Status Report, this reporting module has been set up separately in the CMS Family Online Reporting System and the deadline for submission of the national population status reports has been set by MOP7 at 30 June 2020.

1. GENERAL INFORMATION

Name of reporting Contracting Party

>>> Bailiwick of Guernsey (Crown Dependency of United Kingdom of Great Britain and Northern Ireland)

Date of entry into force of AEWA in the Contracting Party

>>> 01/11/1999

2. INSTITUTIONAL INFORMATION

Please indicate the Designated National Respondent (DNR) and the other contributors to the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018.

Name and title of the DNR

>>> Danny Heptinstall

Affiliation (institution, department, organisation)

>>> Joint Nature Conservation Committee

Mailing address - Street and number

>>> JNCC, Monkstone House, City Rd

Postal code

>>> PE1 1JY

City

>>> Peterborough

Country

>>> United Kingdom

Telephone

>>> +44 (0) 1733 866949

E-mail

>>> Danny.Heptinstall@jncc.gov.uk

Website

>>> <https://jncc.gov.uk/>

Other contributors to this report

Please list the names and affiliations (institution, organisation) of the other contributors to this report

Please list the names and affiliations (institution, organisation) of the other contributors to this report

>>> Julia Henney (States of Guernsey Government)

Andrew McCutcheon (States of Guernsey Government)

Johanna Hawker (JNCC)

3. AEWA-LISTED (NATIVE) WATERBIRD SPECIES

Please report on each species in the drop-down menu. This list contains all AEWA waterbird species that occur in your country. Should you identify any omissions, please contact the UNEP/AEWA Secretariat.

United Kingdom

Brent Goose / *Branta bernicla*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Scoter / *Melanitta nigra*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|-----|
| Minimum | 11 |
| Maximum | 100 |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Red-breasted Merganser / *Mergus serrator*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence

limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | 6 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | 0 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> J. Hooper

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Shelduck / *Tadorna tadorna*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

Staging numbers estimate is available [Staging numbers refer to the number of individuals that stopover in the country during migration]

Latest staging numbers estimate

Staging numbers

[Individuals. Raw numbers i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for staging numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous staging numbers estimate

Please indicate whether a previous estimate of staging numbers is available

No previous staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca.

1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

Yes

Staging numbers trend estimate is available for:

Short-term trend

Short-term staging numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term staging numbers trend estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Common Pochard / *Aythya ferina*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|--|--|
| | |
|--|--|

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and

indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Tufted Duck / *Aythya fuligula*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 2 |
| Best single value | |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Latest staging numbers estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | 0 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |

| | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Garganey / *Spatula querquedula*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | 6 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Northern Shoveler / *Spatula clypeata*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | 0 |
|-------------------|----|
| Maximum | 10 |
| Best single value | |

Type of estimate Best estimate**Method used for passage numbers estimate** Based mainly on extrapolation from a limited amount of data**Previous passage numbers estimate****Please indicate whether a previous estimate of passage numbers is available** No previous passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** No previous non-breeding/wintering numbers estimate is available**Population trend****Breeding numbers****Please indicate whether:** The species does not breed in the country**Passage and staging numbers****Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available**

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to

determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |

| | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Eurasian Wigeon / *Mareca penelope*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and

indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Northern Pintail / *Anas acuta*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Teal / *Anas crecca*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |
| Maximum | |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Little Grebe / Tachybaptus ruficollis

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the

data fields for minimum and maximum and indicate them as such.]

| Minimum | 0 |
|-------------------|---|
| Maximum | 2 |
| Best single value | |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | 0 |
|-------------------|---|
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Great Crested Grebe / Podiceps cristatus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper

confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Horned Grebe / Podiceps auritus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

 No previous non-breeding/wintering numbers estimate is available**Population trend****Breeding numbers**

Please indicate whether:

 The species does not breed in the country**Passage and staging numbers**

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

 Yes

Is short-term or long-term trend estimate of passage numbers available?

 No

Is short-term or long-term trend estimate of staging numbers available?

 No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

 Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

 Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

 Short-term trend**Short-term non-breeding/wintering numbers trend estimate**

Short-term trend direction

 Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Black-necked Grebe / Podiceps nigricollis

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|--|--|
| | |
|--|--|

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Western Water Rail / *Rallus aquaticus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and

indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Moorhen / *Gallinula chloropus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | 501 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> J. Hooper

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Common Coot / Fulica atra

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate Best estimate**Method used for breeding numbers estimate** Based mainly on extrapolation from a limited amount of data**Sources of information**

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate**Please indicate whether a previous estimate of the breeding numbers is available** No previous breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 215

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Based mainly on extrapolation from a limited amount of data**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** No previous non-breeding/wintering numbers estimate is available**Population trend**

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Arctic Loon / *Gavia arctica*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|---|
| | |
| Minimum | 0 |
| Maximum | 3 |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

 No previous non-breeding/wintering numbers estimate is available**Population trend****Breeding numbers**

Please indicate whether:

 The species does not breed in the country**Passage and staging numbers**

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

 Yes

Is short-term or long-term trend estimate of passage numbers available?

 No

Is short-term or long-term trend estimate of staging numbers available?

 No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

 Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

 Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

 Short-term trend**Short-term non-breeding/wintering numbers trend estimate**

Short-term trend direction

 Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Loon / *Gavia immer*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|--|--|
| | |
|--|--|

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Grey Heron / *Ardea cinerea*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Little Egret / Egretta garzetta

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | 6 |
| Maximum | 10 |
| Best single value | |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either

interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Northern Gannet / Morus bassanus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | |
| Maximum | |
| Best single value | 7250 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Alderney Wildlife Trust

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Great Cormorant / Phalacrocorax carbo

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | |
| Maximum | |
| Best single value | 84 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |
| Maximum | |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Eurasian Oystercatcher / *Haematopus ostralegus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | 501 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to

determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Grey Plover / *Pluvialis squatarola*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Eurasian Golden Plover / *Pluvialis apricaria*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| Minimum | |
| Maximum | |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Ringed Plover / Charadrius hiaticula

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the

data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 2 |
| Maximum | 5 |
| Best single value | |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]
>>>]. Hooper

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and

indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Little Ringed Plover / Charadrius dubius

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Northern Lapwing / Vanellus vanellus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| Minimum | |
| Maximum | |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Whimbrel / Numenius phaeopus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |

| | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Eurasian Curlew / *Numenius arquata*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | 501 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Bar-tailed Godwit / Limosa lapponica

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Black-tailed Godwit / *Limosa limosa*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| Minimum | 6 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| Minimum | 6 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Ruddy Turnstone / *Arenaria interpres*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|--|--|
| | |
|--|--|

| | |
|-------------------|------|
| Minimum | 501 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> J. Hooper

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Ruff / *Calidris pugnax*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Sanderling / Calidris alba

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Dunlin / *Calidris alpina*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | 501 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either

interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

Yes

Staging numbers trend estimate is available for:

Short-term trend

Short-term staging numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term staging numbers trend estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |

| | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Purple Sandpiper / *Calidris maritima*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either

interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Little Stint / *Calidris minuta*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Eurasian Woodcock / *Scolopax rusticola*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Common Snipe / Gallinago gallinago

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Jack Snipe / *Lymnocyptes minimus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|--|--|
| | |
|--|--|

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Sandpiper / *Actitis hypoleucos*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either

interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Green Sandpiper / Tringa ochropus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Greenshank / *Tringa nebularia*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | 6 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Redshank / *Tringa totanus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> J. Hooper

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Little Gull / *Hydrocoloeus minutus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| Minimum | 0 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Black-legged Kittiwake / *Rissa tridactyla*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Black-headed Gull / Larus ridibundus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|--|--|
| | |
|--|--|

| | |
|-------------------|------|
| Minimum | 501 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Mediterranean Gull / *Larus melanocephalus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

Staging numbers estimate is available [Staging numbers refer to the number of individuals that stopover in the country during migration]

Latest staging numbers estimate

Staging numbers

[Individuals. Raw numbers i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for staging numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous staging numbers estimate

Please indicate whether a previous estimate of staging numbers is available

No previous staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper

confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

Yes

Staging numbers trend estimate is available for:

Short-term trend

Short-term staging numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term staging numbers trend estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12

years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Mew Gull / Larus canus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Lesser Black-backed Gull / *Larus fuscus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | |
| Maximum | |
| Best single value | 690 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

European Herring Gull / *Larus argentatus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| | |
| Minimum | |
| Maximum | |
| Best single value | 2202 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | |
| Maximum | |
| Best single value | 5001 |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Decreasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Great Black-backed Gull / *Larus marinus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | |
| Maximum | |
| Best single value | 212 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Little Tern / Sternula albifrons

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|---|
| | |
| Minimum | 0 |
| Maximum | 5 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Tern / *Sterna hirundo*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| | |
| Minimum | |
| Maximum | |

| | |
|-------------------|----|
| Best single value | 32 |
|-------------------|----|

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Arctic Tern / *Sterna paradisaea*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 11 |
| Maximum | 100 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Sandwich Tern / *Thalasseus sandvicensis*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| Minimum | 101 |
| Maximum | 500 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| Minimum | 0 |
| Maximum | 10 |
| Best single value | |

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Bisson et al

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|---------|--|
| Minimum | |
| Maximum | |

| | |
|-------------------|--|
| Best single value | |
|-------------------|--|

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Great Skua / Catharacta skua

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted

migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|------|
| Minimum | 101 |
| Maximum | 1000 |
| Best single value | |

Type of estimate

Best estimate

Method used for passage numbers estimate

Based mainly on extrapolation from a limited amount of data

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

No previous passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Atlantic Puffin / *Fratercula arctica*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|-----|
| Maximum | |
| Best single value | 300 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Various

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> Count of Individuals

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Razorbill / Alca torda

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|----|
| | |
| Minimum | |
| Maximum | |
| Best single value | 68 |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| Minimum | |
|-------------------|--|
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Common Murre / Uria aalge

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2015

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|-----|
| | |
| Minimum | 347 |
| Maximum | 417 |
| Best single value | |

Type of estimate

95% confidence interval

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Veron et al

Veron et al

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> Count is of individuals

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

| | |
|-------------------|--|
| | |
| Minimum | |
| Maximum | |
| Best single value | |

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

5. CONFIRMATION

Confirmation of information verification and approval for submission.

***Please confirm:**

In addition a scanned copy of an official letter from the relevant state institution, approving the report for submission, can be attached.

I declare that the information provided in the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018 has been verified and the report has been approved for submission by the appropriate state institution in the country.

***Date of submission**

>>> 03/08/2020